Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- (currently amended) A process for the <u>treatment of raw water to produce</u>
 <u>potable water comprising</u> removal of dissolved organic carbon from water,
 which process includes the following steps:
 - dispersing a magnetic ion-exchange resin in water containing dissolved organic carbon to enable adsorption of the organic carbon from the water onto the resin; and
 - b) separating the magnetic ion-exchange resin loaded with organic carbon from the water.
- (original) A process according to claim 1 wherein the magnetic ionexchange resin is dispersed by adding the magnetic ion-exchange resin to the water while imparting sufficient shear on the water to disperse the resin in the water.
- 3. (original) A process according to claim 1 wherein the magnetic ionexchange resin loaded with organic carbon is separated from the water by
 - a) agglomerating the magnetic ion-exchange resin loaded with the organic carbon; and
 - b) separating the agglomerated magnetic ion-exchange resin loaded with organic carbon from the water.
- 4. (original) A progress according to claim 3 wherein the resin is dispersed by mechanical agitation, mixing pumps immersed in the water or air agitation.

- 5. (original) A process according to claim 3 wherein the loaded resin is separated from the water by settling, screening or a combination thereof.
- 6. (original) A process according to claim 3 wherein the loaded resin is separated from the water by settling and wherein the ion-exchange resin is more dense than the water.
- 7. (original) A process according to claim 6 wherein the settled resin is collected by vacuum collection.
- 8. (original) A process according to claim 6 wherein the settled resin is collected by magnetic transport.
- 9. (original) A process according to claim 6 wherein the settling is facilitated by tilted plates or tubular modules.
- 10. Cancelled.
- 11. (original) A process according to claim 1 wherein said process further comprises a step of disinfecting the water.
- 12. Cancelled.
- 13. (original) A process for the treatment of waste water which comprises the steps of claim 1.
- 14. (original) A process according to claim 1 for the removal of dissolved organic carbon from water, which process includes the following steps:
 - a) adding a magnetic ion-exchange resin to water containing dissolved organic carbon, while imparting sufficient shear on the water to disperse the resin in the water, thereby enabling

- adsorption of the dissolved organic carbon onto the magnetic ionexchange resin;
- agglomerating the magnetic ion-exchange resin loaded with the organic carbon;
- c) separating the agglomerated magnetic ion-exchange resin loaded with organic carbon from the water;
- regenerating a portion of said agglomerated resin, with the remainder being returned to step a), thereby allowing continuous treatment of the water; and
- e) returning regenerated agglomerated resin to step a).
- 15. (original) A progress according to claim 14 wherein the resin is dispersed by mechanical agitation, mixing pumps immersed in the water or air agitation.
- 16. (original) A process according to claim 14 wherein the loaded resin is separated from the water by settling, screening or a combination thereof.
- 17. (original) A process according to claim 16 wherein the loaded resin is separated from the water by settling and wherein the ion-exchange resin is more dense than the water.
- 18. (original) A process according to claim 17 wherein the settled resin is collected by vacuum collection.
- 19. (original) A process according to claim 17 wherein the settled resin is collected by magnetic transport.
- 20. (original) A process according to claim 17 wherein the settled resin is collected by filtration.

- 21. (original) A process according to claim 17 wherein the settling is facilitated by tilted plates or tubular modules.
- 22. (original) A process according to claim 17 wherein gravity settling is employed.
- 23. (original) A process according to claim 14 wherein the ion-exchange resin has cationic functional groups.
- 24. (original) A process according to claim 14 wherein the ion-exchange resin is particulate and the particles have a diameter less than 100µm.
- 25. (original) A process according to claim 24 wherein the ion-exchange resin particles have a diameter in the range of from 25μm to 75μm.
- 26. (original) A process according to claim 14 wherein the ion-exchange resin is macroporous.
- 27. (original) A process according to claim 14 wherein the ion-exchange resin is manufactured from cross-linked polystyrene based polymers.
- 28. (original) A process according to claim 14 wherein the ion-exchange resin is present in the water in the range of from 0.5 to 5ml of wet resin per litre of water.
- 29. (original) A process according to claim 11 wherein the resin regeneration process includes the following steps:
 - a) packing the spent resin into a column; and
 - b) passing brine through the packed column for desorption of the dissolved organic carbon from the resin.

- 30. Cancelled.
- 31. (original) A process according to claim 14 wherein said process further comprises a step of disinfecting the water.
- 32. (original) A process according to claim 31 wherein the water is disinfected after treatment with ion-exchange resin.
- 33. (original) A process according to claim 32 wherein the water is disinfected with chlorine.
- 34. (original) A process according to claim 14 wherein said process is a pretreatment prior to subjecting the pretreated water to membrane filtration.
- 35. (original) A process according to claim 14 wherein said process is a pretreatment prior to subjecting the pretreated water to a coagulation/sedimentation process.
- 36. (original) A process according to claim 14 wherein the process further comprises a step of treating the water with activated carbon after treatment with ion-exchange resin.
- 37. (original) A process according to claim 11 wherein the resin regeneration process includes the following steps:
 - a) adding the magnetic ion-exchange resin loaded with organic carbon to brine;
 - b) dispersing the loaded magnetic ion-exchange resin in the brine for the desorption of the organic carbon from the magnetic ion-exchange resin to regenerate the resin;
 - c) agglomerating the regenerated magnetic ion-exchange resin; and

d) separating the regenerated magnetic ion-exchange resin from the brine.

38-43. Cancelled.

- 44. (currently amended) A <u>process for treating raw water to produce potable</u>

 <u>water comprising a</u> continuous process for the removal of dissolved

 organic carbon from water, which <u>continuous</u> process includes the

 following steps:
 - dispersing a magnetic ion-exchange resin in water containing dissolved organic carbon to enable adsorption of the organic carbon from the water onto the resin;
 - b) separating the magnetic ion-exchange resin loaded with organic carbon from the water;
 - c) regenerating at least a portion of said separated ion-exchange resin with the remainder being returned to step a), thereby allowing continuous water treatment; and
 - d) reintroducing said magnetic ion-exchange resin regenerated in step c) to step a).